

# Package ‘rvest’

November 9, 2019

**Title** Easily Harvest (Scrape) Web Pages

**Version** 0.3.5

**Description** Wrappers around the 'xml2' and 'httr' packages to make it easy to download, then manipulate, HTML and XML.

**License** GPL-3

**URL** <http://rvest.tidyverse.org/>, <https://github.com/tidyverse/rvest>

**BugReports** <https://github.com/tidyverse/rvest/issues>

**Depends** R (>= 3.2), xml2

**Imports** httr (>= 0.5), magrittr, selectr

**Suggests** covr, knitr, png, rmarkdown, spelling, stringi (>= 0.3.1), testthat

**VignetteBuilder** knitr

**Encoding** UTF-8

**Language** en-US

**LazyData** true

**RoxygenNote** 6.1.1

**NeedsCompilation** no

**Author** Hadley Wickham [aut, cre],  
RStudio [cph]

**Maintainer** Hadley Wickham <hadley@rstudio.com>

**Repository** CRAN

**Date/Publication** 2019-11-08 23:10:02 UTC

## R topics documented:

encoding . . . . .	2
google_form . . . . .	3
html . . . . .	3
html_form . . . . .	4

html_nodes . . . . .	5
html_session . . . . .	6
html_table . . . . .	7
html_text . . . . .	8
jump_to . . . . .	9
pluck . . . . .	10
session_history . . . . .	11
set_values . . . . .	11
submit_form . . . . .	12

<b>Index</b>	<b>13</b>
--------------	-----------

---

encoding	<i>Guess and repair faulty character encoding.</i>
----------	--

---

## Description

These functions help you respond to web pages that declare incorrect encodings. You can use `guess_encoding` to figure out what the real encoding is (and then supply that to the encoding argument of `html`), or use `repair_encoding` to fix character vectors after the fact.

## Usage

```
guess_encoding(x)

repair_encoding(x, from = NULL)
```

## Arguments

<code>x</code>	A character vector.
<code>from</code>	The encoding that the string is actually in. If <code>NULL</code> , <code>guess_encoding</code> will be used.

## stringi

These function are wrappers around tools from the fantastic `stringi` package, so you'll need to make sure to have that installed.

## Examples

```
# A file with bad encoding included in the package
path <- system.file("html-ex", "bad-encoding.html", package = "rvest")
x <- read_html(path)
x %>% html_nodes("p") %>% html_text()

guess_encoding(x)
# Two valid encodings, only one of which is correct
read_html(path, encoding = "ISO-8859-1") %>% html_nodes("p") %>% html_text()
read_html(path, encoding = "ISO-8859-2") %>% html_nodes("p") %>% html_text()
```

---

google_form	<i>Make link to google form given id</i>
-------------	--

---

**Description**

Make link to google form given id

**Usage**

```
google_form(x)
```

**Arguments**

x	Unique identifier for form
---	----------------------------

**Examples**

```
google_form("1M9B8DsYNFyDjpwSK6ur_bZf8Rv_04ma3rmaaBiveoUI")
```

---

html	<i>Parse an HTML page.</i>
------	----------------------------

---

**Description**

html is deprecated: please use read\_html() instead.

**Usage**

```
html(x, ..., encoding = "")

## S3 method for class 'session'
read_xml(x, ..., as_html = FALSE)
```

**Arguments**

x	A url, a local path, a string containing html, or a response from an http request.
...	If x is a URL, additional arguments are passed on to <code>httr::GET()</code> .
encoding	Specify encoding of document. See <code>iconvlist()</code> for complete list. If you have problems determining the correct encoding, try <code>stringi::stri_enc_detect()</code>
as_html	Optionally parse an xml file as if it's html.

## Examples

```
# From a url:
google <- read_html("http://google.com", encoding = "ISO-8859-1")
google %>% xml_structure()
google %>% html_nodes("div")

# From a string: (minimal html 5 document)
# http://www.bruce-lawson.co.uk/2010/a-minimal-html5-document/
minimal <- read_html("<!doctype html>
  <meta charset=utf-8>
  <title>blah</title>
  <p>I'm the content")
minimal
minimal %>% xml_structure()

# From an http request
google2 <- read_html(httr::GET("http://google.com"))
```

---

html\_form

*Parse forms in a page.*

---

## Description

Parse forms in a page.

## Usage

```
html_form(x)
```

## Arguments

x                    A node, node set or document.

## See Also

HTML 4.01 form specification: <http://www.w3.org/TR/html401/interact/forms.html>

## Examples

```
html_form(read_html("https://hadley.wufoo.com/forms/libraryrequire-quiz/"))
html_form(read_html("https://hadley.wufoo.com/forms/r-journal-submission/"))

box_office <- read_html("http://www.boxofficemojo.com/movies/?id=ateam.htm")
box_office %>% html_node("form") %>% html_form()
```

## Description

More easily extract pieces out of HTML documents using XPath and CSS selectors. CSS selectors are particularly useful in conjunction with <http://selectorgadget.com/>: it makes it easy to find exactly which selector you should be using. If you haven't used CSS selectors before, work your way through the fun tutorial at <http://flukeout.github.io/>

## Usage

```
html_nodes(x, css, xpath)
```

```
html_node(x, css, xpath)
```

## Arguments

x	Either a document, a node set or a single node.
css, xpath	Nodes to select. Supply one of css or xpath depending on whether you want to use a CSS or XPath 1.0 selector.

## html\_node vs html\_nodes

html\_node is like [] it always extracts exactly one element. When given a list of nodes, html\_node will always return a list of the same length, the length of html\_nodes might be longer or shorter.

## CSS selector support

CSS selectors are translated to XPath selectors by the **selectr** package, which is a port of the python **cssselect** library, <https://pythonhosted.org/cssselect/>.

It implements the majority of CSS3 selectors, as described in <http://www.w3.org/TR/2011/REC-css3-selectors-20110929/>. The exceptions are listed below:

- Pseudo selectors that require interactivity are ignored: :hover, :active, :focus, :target, :visited
- The following pseudo classes don't work with the wild card element, \*: \*:first-of-type, \*:last-of-type, \*:nth-of-type, \*:nth-last-of-type, \*:only-of-type
- It supports :contains(text)
- You can use !=, [foo!=bar] is the same as :not([foo=bar])
- :not() accepts a sequence of simple selectors, not just single simple selector.

**Examples**

```

# CSS selectors -----
url <- paste0(
  "https://web.archive.org/web/20190202054736/",
  "https://www.boxofficemojo.com/movies/?id=ateam.htm"
)
ateam <- read_html(url)
html_nodes(ateam, "center")
html_nodes(ateam, "center font")
html_nodes(ateam, "center font b")

# But html_node is best used in conjunction with %>% from magrittr
# You can chain subsetting:
ateam %>% html_nodes("center") %>% html_nodes("td")
ateam %>% html_nodes("center") %>% html_nodes("font")

td <- ateam %>% html_nodes("center") %>% html_nodes("td")
td
# When applied to a list of nodes, html_nodes() returns all nodes,
# collapsing results into a new nodelist.
td %>% html_nodes("font")
# html_node() returns the first matching node. If there are no matching
# nodes, it returns a "missing" node
if (utils::packageVersion("xml2") > "0.1.2") {
  td %>% html_node("font")
}

# To pick out an element at specified position, use magrittr::extract2
# which is an alias for [[
library(magrittr)
ateam %>% html_nodes("table") %>% extract2(1) %>% html_nodes("img")
ateam %>% html_nodes("table") %>% `[`(1) %>% html_nodes("img")

# Find all images contained in the first two tables
ateam %>% html_nodes("table") %>% `[`(1:2) %>% html_nodes("img")
ateam %>% html_nodes("table") %>% extract(1:2) %>% html_nodes("img")

# XPath selectors -----
# chaining with XPath is a little trickier - you may need to vary
# the prefix you're using - // always selects from the root node
# regardless of where you currently are in the doc
ateam %>%
  html_nodes(xpath = "///center//font//b") %>%
  html_nodes(xpath = "//b")

```

---

html\_session

*Simulate a session in an html browser.*


---

**Description**

Simulate a session in an html browser.

**Usage**

```
html_session(url, ...)

is.session(x)
```

**Arguments**

url	Location to start session
...	Any additional httr config to use throughout session.
x	An object to test to see if it's a session.

**Methods**

A session object responds to a combination of httr and html methods: use `httr::cookies()`, `httr::headers()`, and `httr::status_code()` to access properties of the request; and `html_nodes()` to access the html.

**Examples**

```
# http://stackoverflow.com/questions/15853204

s <- html_session("http://hadley.nz")
s %>% jump_to("hadley-wickham.jpg") %>% jump_to("/") %>% session_history()
s %>% jump_to("hadley-wickham.jpg") %>% back() %>% session_history()

s %>% follow_link(css = "p a")
```

---

html\_table

---

*Parse an html table into a data frame.*


---

**Description**

Parse an html table into a data frame.

**Usage**

```
html_table(x, header = NA, trim = TRUE, fill = FALSE, dec = ".")
```

**Arguments**

x	A node, node set or document.
header	Use first row as header? If NA, will use first row if it consists of <th> tags.
trim	Remove leading and trailing whitespace within each cell?
fill	If TRUE, automatically fill rows with fewer than the maximum number of columns with NAs.
dec	The character used as decimal mark.

## Assumptions

html\_table currently makes a few assumptions:

- No cells span multiple rows
- Headers are in the first row

## Examples

```
sample1 <- minimal_html("<table>
  <tr><th>Col A</th><th>Col B</th></tr>
  <tr><td>1</td><td>x</td></tr>
  <tr><td>4</td><td>y</td></tr>
  <tr><td>10</td><td>z</td></tr>
</table>")
sample1 %>%
  html_node("table") %>%
  html_table()

# Values in merged cells will be duplicated
sample2 <- minimal_html("<table>
  <tr><th>A</th><th>B</th><th>C</th></tr>
  <tr><td>1</td><td>2</td><td>3</td></tr>
  <tr><td colspan='2'>4</td><td>5</td></tr>
  <tr><td>6</td><td colspan='2'>7</td></tr>
</table>")

sample2 %>%
  html_node("table") %>%
  html_table()

# If the table is badly formed, and has different number of columns
# in each row, use `fill = TRUE` to fill in the missing values
sample3 <- minimal_html("<table>
  <tr><th>A</th><th>B</th><th>C</th></tr>
  <tr><td colspan='2'>1</td><td>2</td></tr>
  <tr><td colspan='2'>3</td></tr>
  <tr><td>4</td></tr>
</table>")

sample3 %>%
  html_node("table") %>%
  html_table(fill = TRUE)
```

---

html\_text

*Extract attributes, text and tag name from html.*

---

## Description

Extract attributes, text and tag name from html.

**Usage**

```
html_text(x, trim = FALSE)

html_name(x)

html_children(x)

html_attrs(x)

html_attr(x, name, default = NA_character_)
```

**Arguments**

x	A document, node, or node set.
trim	If TRUE will trim leading and trailing spaces.
name	Name of attribute to retrieve.
default	A string used as a default value when the attribute does not exist in every node.

**Value**

html\_attr, html\_tag and html\_text, a character vector; html\_attrs, a list.

**Examples**

```
movie <- read_html("http://www.imdb.com/title/tt1490017/")
cast <- html_nodes(movie, "#titleCast span.itemprop")
html_text(cast)
html_name(cast)
html_attrs(cast)
html_attr(cast, "class")
```

---

jump\_to

*Navigate to a new url.*

---

**Description**

jump\_to() takes a url (either relative or absolute); follow\_link takes an expression that refers to a link (an <a> tag) on the current page.

**Usage**

```
jump_to(x, url, ...)

follow_link(x, i, css, xpath, ...)
```

**Arguments**

x	A session.
url	A URL, either relative or absolute, to navigate to.
...	Any additional httr configs to apply to this request.
i	You can select with: <b>an integer</b> selects the ith link <b>a string</b> first link containing that text (case sensitive)
css	Nodes to select. Supply one of css or xpath depending on whether you want to use a CSS or XPath 1.0 selector.
xpath	Nodes to select. Supply one of css or xpath depending on whether you want to use a CSS or XPath 1.0 selector.

**Examples**

```
s <- html_session("http://hadley.nz")
s <- s %>% follow_link("github")
s <- s %>% back()
s %>% follow_link("readr")
```

---

pluck

*Extract elements of a list by position.*

---

**Description**

Extract elements of a list by position.

**Usage**

```
pluck(x, i, type)
```

**Arguments**

x	A list
i	A string or integer.
type	Type of output, if known

---

session_history	<i>History navigation tools</i>
-----------------	---------------------------------

---

**Description**

History navigation tools

**Usage**

```
session_history(x)
```

```
back(x)
```

**Arguments**

x	A session.
---	------------

---

set_values	<i>Set values in a form.</i>
------------	------------------------------

---

**Description**

Set values in a form.

**Usage**

```
set_values(form, ...)
```

**Arguments**

form	Form to modify
...	Name-value pairs giving fields to modify

**Value**

An updated form object

**Examples**

```
search <- html_form(read_html("http://www.google.com"))[[1]]
set_values(search, q = "My little pony")
set_values(search, hl = "fr")
## Not run: set_values(search, btnI = "blah")
```

---

submit_form	<i>Submit a form back to the server.</i>
-------------	--

---

**Description**

Submit a form back to the server.

**Usage**

```
submit_form(session, form, submit = NULL, ...)
```

**Arguments**

session	Session to submit form to.
form	Form to submit
submit	Name of submit button to use. If not supplied, defaults to first submission button on the form (with a message).
...	Additional arguments passed on to <a href="#">httr::GET()</a> or <a href="#">httr::POST()</a>

**Value**

If successful, the parsed html response. Throws an error if http request fails. To access other elements of response, construct it yourself using the elements returned by `submit_request`.

**Examples**

```
test <- google_form("1M9B8DsYNFyDjpwSK6ur_bZf8Rv_04ma3rmaaBiveoUI")
f0 <- html_form(test)[[1]]
f1 <- set_values(f0, entry.564397473 = "abc")
```

# Index

## \*Topic **deprecated**

- html, [3](#)
- back (session\_history), [11](#)
- encoding, [2](#)
- follow\_link (jump\_to), [9](#)
- google\_form, [3](#)
- guess\_encoding (encoding), [2](#)
- html, [3](#)
- html\_attr (html\_text), [8](#)
- html\_attrs (html\_text), [8](#)
- html\_children (html\_text), [8](#)
- html\_form, [4](#)
- html\_name (html\_text), [8](#)
- html\_node (html\_nodes), [5](#)
- html\_nodes, [5](#)
- html\_nodes(), [7](#)
- html\_session, [6](#)
- html\_table, [7](#)
- html\_text, [8](#)
- htr::cookies(), [7](#)
- htr::GET(), [3](#), [12](#)
- htr::headers(), [7](#)
- htr::POST(), [12](#)
- htr::status\_code(), [7](#)
- iconvlist(), [3](#)
- is.session (html\_session), [6](#)
- jump\_to, [9](#)
- pluck, [10](#)
- read\_xml.session (html), [3](#)
- repair\_encoding (encoding), [2](#)
- session\_history, [11](#)
- set\_values, [11](#)
- stringi::stri\_enc\_detect(), [3](#)
- submit\_form, [12](#)